## **AMENDMENTS TO THE CLAIMS:**

This following listing of claims will replace all prior versions, and listings of claims in the application.

## **Listing of Claims:**

- 1. (Currently Amended) An oral diagnostic test meal comprising: a glycemic polysaccharide, wherein the oral diagnostic test meal provides a selected quantity of glycemic carbohydrate effective to increase blood glucose levels in a vertebrate subject, and
  - (a) from about 35 to about 55 percent by weight of a glycemic polysaccharide;
  - (b) from about 10 to about 35 percent by weight mono- and disaccharides;
  - (c) from about 10 to about 25 percent by weight dietary fat, and
  - (d) from about 5 to about 8 percent by weight dietary protein, wherein the diagnostic test meal comprises less than 0.5 percent by weight soluble fibre, and

wherein the ratio of (a) to (b) is from about 1:1 to about 2.8:1.

- 2. (Original) The oral diagnostic test meal according to claim 1, wherein the oral diagnostic test meal comprises less than 0.2 percent by weight soluble fibre.
- 3. (Currently Amended) The oral diagnostic test meal according to claim 1, wherein the oral diagnostic test meal comprises from about 50 to about 60 percent by weight of [[the]] <u>a</u> glycemic carbohydrate.
- 4.-5. (Canceled)

U.S. Patent Application Serial No. 10/567,823 Amendment dated 18 May 2011 Reply to Office Action dated 18 November 2010

- 6. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the ratio of (a) to (b) is from about 1.3:1 to about 2.8:1.
- 7. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the ratio of (a) to (b) is from about 1.4:1 to about 2.5:1.
- 8. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the monosaccharide is fructose, glucose, or a mixture of glucose and fructose.
- 9. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the disaccharide is sucrose.
- 10. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein said dietary fat comprises from about 10 percent to about 30 percent saturated fat, and about 25 percent to about 75 percent monounsaturated fat.
- 11. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the glycemic polysaccharide is derived from provided by whole out flour, defatted out flour, out starch, or a mixture thereof.
- 12. (Currently Amended) The diagnostic test meal of claim [[4]] 1, further comprising one or both of a source of insoluble dietary fibre, and a source of flavoring.
- 13. (Currently Amended) The diagnostic test meal of claim [[4]]  $\underline{1}$ , wherein the test meal is provided in the form of a bar or biscuit.

U.S. Patent Application Serial No. 10/567,823 Amendment dated 18 May 2011 Reply to Office Action dated 18 November 2010

14. (Currently Amended) The diagnostic test meal of claim [[4]] 1, wherein the glycemic polysaccharide is derived from provided by a grain crop selected from the group consisting of barley, oat, wheat, rye, corn, maize, sorghum, millet, rice, amaranth and quinoa.

15.-24. (Canceled)